TR Bulb

Received and Read 1 - 16 pages

Docusigned by:

Received and Read 1 - 16 pages

8/21/2023

E18911D25AF0461...


BUWGSigned by:

DATE

LULY Elizabeth 8/21/2023

BY05D746758A4AD...

DATE





These instructions are provided for your safety. It is important that the instructions are read carefully and completely before assembling.

This A/I cover below items:

- 1 Piece TR Bulb, E27
- 1 Piece TR Table/Wall Lamp, Low, 2 m Textile cord w. dimmer, E27
- 1 Piece TR Pendant, High, 3 m Textile cord, E27
- 1 Piece TR Ceiling/Wall, E27
- 1 Piece Suspension Lamp, 4 x E27 5 m Textile cord
- 1 Piece TR Table Lamp, High, 2 m Textile cord w. dimmer, E27

Technical details (TR Bulb):

Plug: CE Certified plug Cord: VDE textile cord

Lightsource details: LED PC board.

Watt: 6.5W

Lumen output: 70 Lm/W Color temperature: 2700 K

CRI: > 80

Technical details (TR Bulb, Dim to Warm):

Plug: CE Certified plug Cord: VDE textile cord

Lightsource details: LED PC board.

Watt: 6W

Lumen output: 70 Lm/W

Color temperature: 1800-2700 K

CRI: > 80 - > 90

The Lamp Range is tested according to

Table lamp: EN 60598-2-4,

Ceiling/Pendant lamp: EN 60598-2-1

Bulb: EN 62560

EMC: EN 55015, EN 61547, EN 61000-3-2, EN 61000-3-3

The lamp conforms to IP20.

DocuSign Envelope ID: FCC97E19-742E-49F3-BF77-1BFB441E26C4

Compatible dimmer types

Fuga: 506DA124/506DA117/506DA109

BG: DM400AP

V-PRO: JQP401W/Z0JP250-P

Care Instructions

To clean simply wipe with a soft dry cloth. Turn off power before cleaning. Do not use any cleaners with chemicals, solvents, or harsh abrasives.

BE SURE THE ELECTRICITY TO THE WIRES YOU ARE WORKING ON IS SHUT OFF; EITHER THE FUSE IS REMOVED OR THE CIRCUIT BREAKER IS TURNED OFF.

Please check the specific rules for electrical installation work in your country. Some countries may require an authorised electrical contractor.

Important

If you have any problems regarding the electrical installation, contact a certified electrician. Always shut off power to the circuit before starting installation work. The external flexible cable or cord of this luminaire cannot be replaced. If the cord is damaged. If the external flexible cable or cord of this luminaire is damaged, it shall be exclusively replaced by the manufacturer or his service agent or a similar qualified person in order to avoid a hazard.

WARNINGS

Dispose of plastic bag from packaging and do not allow children to play with it.

- Keep product well out of children's reach.
- Do not attempt installation of product if you are not competent to do so yourself.
- Consult a professionally qualified electrician if in any doubt.
- Do not place the cable in reach of small children or anywhere there is a risk of falling over it.

Disposal


When your light fitting comes to an end of it's life or you choose to update or upgrade it by replacing it. Please do not dispose of it with your normal household waste.

Please recycle where facilities exist. When you need to dispose of this fitting, check with your retailer or local authority for suitable options.

New regulations will encourage the recycling of Waste from Electrical and Electronic Equipment (European 'WEEE Directive' effective August 2005).











NOTE

Dear Customer, please note that when you screw in this large light bulb, the momentum (force) is larger than on smaller bulbs due to its larger diameter; therefore please be careful when screwing it in so as to avoid over-screwing thereby destroying the socket thread.



TR Bulb, Table / Wall Lamp



Wall Mounted





Table Lamp


Wall Mounted

Table Lamp


7




TR Bulb, Ceiling / Wall Lamp




Wall Mounted




Ceiling Lamp





TR Bulb, Pendant Lamp





TR Bulb, Suspension Lamp, 105cm





TR Bulb, Table Lamp, High

